

Australian Government

Australian Research Council

Research Outputs in RMS

User Guide for Maintaining Research Outputs in your RMS Profile

Updated 18 October 2019 (Version 5)

Contents

	ew	
Part 1 –	- How to import Research Outputs from ORCID	4
1.1	Link your ORCID account with your RMS account	4
1.2	Import Research Outputs from ORCID	5
1.3	Retrieval Criteria for ORCID	7
1.2	Invalid Research Outputs	7
Part 2 –	- How to import Research Outputs using DOI	8
2.1	Import Research Outputs from DOI	8
Part 3 –	- How to import Research Outputs using BibTeX	9
3.1	Import Research Outputs from BibTeX	9
Part 4 –	- How to manually add Research Outputs	10
4.1	Manually add a Research Output	10
4.1	.1 Add Unspecified Citation	11
4.2	Edit a manually added Research Output	11
4.2	.1 Manually add Editor(s) to a Research Output Error! Bookmark r	ot defined.
Part 5 –	- Adding Details to Research Outputs	13
5.1	Add details to ORCID, DOI, BibTeX & manually-created outputs	13
Part 6 –	- Searching, Sorting and Maintaining your Research Outputs	14
		14
6.1	Searching and Sorting Research Outputs	
6.1 6.1	Searching and Sorting Research Outputs	14
	Searching and Sorting Research Outputs	14 14
6.1	Searching and Sorting Research Outputs 1 Sorting Research Outputs	14 14 15
6.1. 6.1.	 Searching and Sorting Research Outputs .1 Sorting Research Outputs .2 Updating ORCID Outputs Soft-deleting and Reviving Research Outputs 	14 14 15 16
6.1. 6.1. 6.2	 Searching and Sorting Research Outputs	14 14 15 16 16
6.1. 6.1. 6.2 6.2.	 Searching and Sorting Research Outputs	14 14 15 16 16 17
6.1. 6.2 6.2 6.2.	 Searching and Sorting Research Outputs	14 14 15 16 16 17 17
6.1. 6.2 6.2 6.2. 6.2.	 Searching and Sorting Research Outputs	14 14 15 16 16 17 17 17
6.1. 6.2 6.2 6.2 6.2 6.2	 Searching and Sorting Research Outputs	14 14 15 16 16 17 17 17 17 17 18 19
6.1. 6.2 6.2 6.2 6.2 6.2	 Searching and Sorting Research Outputs	14 14 15 16 16 17 17 17 17 19 19
6.1. 6.2 6.2 6.2 6.2 6.2 6.3 Part 7 -	 Searching and Sorting Research Outputs	
6.1. 6.2 6.2 6.2 6.2 6.2 6.3 Part 7 - 7.1 7.2	 Searching and Sorting Research Outputs	14 14 15 16 16 17 17 17 17 17 19 19 21 21
6.1. 6.2 6.2 6.2 6.2 6.2 6.3 Part 7 - 7.1 7.2	 Searching and Sorting Research Outputs	14 14 15 16 16 17 17 17 17 18 19 21 21 21 21
6.1. 6.2 6.2. 6.2. 6.2. 6.2. 6.3 Part 7 - 7.1 7.2 Part 8 –	Searching and Sorting Research Outputs	14 14 15 16 16 17 17 17 17 17 18 19 21 21 21 21 23

Overview


As part of the Australian Research Council's (ARC's) commitment to implement efficient processes to automate and streamline the collection of researcher information, the ARC has built functionality within the Research Management System (RMS) to allow researchers and Research Office Staff to list research outputs against a user's RMS profile. Through this, the ARC aims to reduce the burden of repeated manual entry of research outputs ('works') in the grant application process.

Researchers can add outputs to their RMS profile through any of the following methods:

- 1. Link an RMS account with an ORCID (Open Researcher and Contributor ID) account and import the research outputs from the Works section of the user's ORCID profile;
- 2. Add a research output citation by using a valid Digital Object Identifier (DOI);
- 3. Upload a BibTeX file to RMS and perform a bulk upload of the research outputs contained within it; or
- 4. Manually create an individual record per research output within the RMS user profile.

Once the research outputs have been added to the user's RMS profile, they can be added to the research outputs questions of the Personnel and <u>Research Opportunity and Performance</u> <u>Evidence (ROPE)</u> section of an application form.

The ARC strongly recommends that prospective applicants import/update their outputs and confirm that the outputs will render correctly in PDF before starting an ARC research application.



Part 1 – How to import Research Outputs from ORCID

ORCID (Open Researcher and Contributor ID) is an open, non-profit, community-driven effort to create and maintain a registry of unique researcher identifiers and a transparent method of linking research activities and outputs to these identifiers.

1.1 Link your ORCID account with your RMS account

Note: Only the user is able to authenticate their ORCID account and provide access to the ARC to read their limited-access information. Once the authentication has occurred, Researchers and Research Office Staff are able to import the outputs into a user's profile.

- Navigate to the RMS Login page: https://rms.arc.gov.au
- From the Person Profile section, Select Personal Details
- Under the ORCID ID section of the Personal Details page, Select the Create or Connect your ORCID ID button



• A new window will open, allowing the user to sign in to their ORCID account or to register for a new ORCID account.

Sign into ORCID	or Register now
L Personal account	f Institutional account
Sign in with you	r ORCID account
Email or ORCID iD	
Email or ORCID iD	
ORCID password	
ORCID password	
Sign int	to ORCID

• Once the user has entered their account details, a message will prompt the user to authorise RMS to read their limited-access information.

The same function is available on the Research Output page in a user's RMS profile.



• Once the user has authorised, RMS will confirm and the user can close the window.

1 A	Australian Government	
and the second	Australian Research Council	
Thank you and the set for connecting yo	ur ORCID 🝺	
		Close

1.2 Import Research Outputs from ORCID

Note: The ARC recommends that researchers check their ORCID "Works" section before importing, and where necessary and possible edit the citation text and ensure the records are correct and appropriate, and nominate a preferred citation source for each work item.

- Navigate to the RMS Login page: https://rms.arc.gov.au
- From the Person Profile section, select Research Outputs.
- Select the Populate from ORCID button.



Note: If the user has not yet linked their ORCID account to their RMS Account, RMS will prompt them to do so at this stage. Further to this, if the user had previously linked their ORCID account to the RMS account, but had not yet authorised the ARC to read the limited access information, then RMS will prompt the user to do this.

• The following information panel will appear.

Populate from ORCID	×
Do you wish to retrieve Works from ORCID and populate them into RMS?	
NOTE: Any Works that have previously been populated into RMS will be updated with the latest data from ORCID	
Import all sources for each ORCID work (may create duplicate Research Outputs)	
NOTE: RMS will attempt to retrieve the "preferred source" for each work in the ORCID record. In some circumstances RMS will not be able to correctly identify the "preferred source" for the work. This is a limitation of the ORCID integration API.	
Populate Close]

Note: By default, if the user does not tick the "all sources' option, RMS will only import the nominated "preferred source" citation from ORCID, provided the user has indicated a preferred source for each works item.

If works item/s have multiple citation sources and the user has not indicated a preferred source and does not tick the 'all sources' option, RMS will import one random citation for each work.

• Click Populate



• The retrieved Research Outputs will display on the screen.

D Orcid Research Outputs				
Туре	DOI	Title	Citation	
JOURNAL_ARTICLE		Test Article for RMS	Test Article	

• If the user subsequently removes their ORCID ID from 'Personal Details' the outputs already imported from ORCID will remain in their RMS profile.

1.3 Retrieval Criteria for ORCID

RMS will only retrieve items in the Works section of the user's ORCID profile if they have the following:

- A visibility setting of 'Everyone' and 'Trusted Parties', and
- Either a citation or a DOI (or both).

RMS will only retrieve the following information for each item that meets the above criteria:

- Category (Book Chapter, Refereed Journal Article etc.)
 - Users should check that the category is correct if not correct, the user can update it in their RMS profile by selecting the "Additional Details" button next to the output.
- Only the citation data from the nominated preferred source, if the user has indicated this in ORCID. (Depending on the Source, the user may or may not be able to edit the citation text.)

Note: RMS will NOT retrieve the title field from ORCID; the output's title must be included in the citation text

Note: Citation is not mandatory within ORCID. If an ORCID Research Output does not contain a citation but does contain a DOI, RMS will use the DOI to make a reasonable attempt to recover this information using available resources (Crossref/Crosscite)

1.2 Invalid Research Outputs

Invalid Research Outputs are included in the import, but will display in red text on the Manage Outputs screen so that users can easily identify them – the user must correct the data at the source and refresh their outputs list in RMS, or use the DOI Reference if it is available. Alternatively, the user can enter the output manually into RMS.

0	Refereed Journal Article	""" Testing incorrect content"'/ X0000000000 X000000000 X0000000 X000000	ORCID	Detets Detete Detete Permanently
		ORCID reference (INVALID) Use DOI reference		

Note: Invalid citations will NOT render into the PDF, nor will they populate into the research application.

Part 2 – How to import Research Outputs using DOI

"A digital object identifier (DOI) is a unique alphanumeric string assigned by a registration agency (the International DOI Foundation) to identify content and provide a persistent link to its location on the Internet. The publisher assigns a DOI when your article is published and made available electronically."


RMS users can import research output information by entering a DOI, and RMS will automatically harvest metadata for that output.

2.1 Import Research Outputs from DOI

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Select the Add by DOI button
 Add by DOI
- A Text Input screen will open. Enter a valid DOI and click the Add button.

Add by DOI	×
Enter a DOI to retrieve a research output	t citation
DOI	
	Add Close

• RMS will import the Research Output to the User's Profile. To refresh the DOI Research Output click on the Refresh DOI tab below the record.



Part 3 – How to import Research Outputs using BibTeX

BibTeX is a list of references, formatted in a specific way. Many citation database providers, such as ORCID, EndNote and Scopus, enable the bulk download of research outputs into a single file in BibTeX format. Further information on accessing BibTeX files is available on the providers' websites.

3.1 Import Research Outputs from BibTeX

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Select the Import BibTeX button
 Import BibTex
- A file input screen will open. Choose the file that you wish to import, the BibTeX file extension is .bib

Import Bib7	lex .
File input	
Choose File	works.bib
Select a file co	ontaining the bibtex entries that you want to import
Import	

NOTE: Please refer to Appendix for further information on BibTeX fields.

• Click on Import. All of the records contained within the BibTeX file will import into the user's profile.

Part 4 – How to manually add Research Outputs

4.1 Manually add a Research Output

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Select the Add Manually button Add Manually
- A form is available for users to enter Research Outputs. First, select the Type of Research Output and the form will update to show the fields relevant to the Research Output Type.

Туре		
Authored Book		
Authored Book		
Edited Book		
Book Chapter		
Refereed Journal Article		
Fully Refereed Conference Proceeding		
Additional Research Output		


• The Title Format has two available formats: (1) Text (English Unicode) and (2) LaTeX.

The Text format displays the Research Output Title "as is" entered by the User.

The LaTeX format only supports BibTeX subsets of Latex citation formats (ORCID with BibTeX, DOI import or RMS with LaTeX Title Format). In list views and edit screens RMS will not render LaTeX formatting.

80	Book	XDERAX, XERENDA, XAXKARARENDERDERVONDERAEKKEE <mark>R</mark> , SXGFSZXBAKZE= <mark>S, X</mark> DARONDARDON, NEWY XAX 208008X	BibTeX	Details Delete
1	Chapter	ENERGY CORRECT	-	Delete Permanently

Example of mathematical formula enclosed in \$ rendered into the PDF.



Note: Valid LaTeX formatting will render correctly in the application PDF in most circumstances. (See Part 7 for more details on rendering BibTeX citations.)

• Once the fields have been populated, click the Save button to close the window and save the information to the user's Research Outputs list.


4.1.1 Add Unspecified Citation

NOTE: Unspecified citation format only possible for the "Additional Research Output" type

• To add an Unspecified Citation type select Additional Research Output, then select "Yes" under "Free Form Citation".

Туре	
Additional Research Output	٠
Free Form Citation	
Yes	•
Citation	
Citation is required	
Date	
Save Close	

- Enter relevant text and date (Month and Year). The citation text will allow up to 4000 characters. Click "Save".
- The citation will display in the Manage Outputs list.



Note: Only the citation text will display in the RMS outputs list or render into the PDF. To have the date display, include it within the citation text.

4.2 Edit a manually added Research Output

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Against the Research Output that you wish to edit, click on the Edit button
- Make the required edits and click the Save button

Note: Not all the fields available in manual entry will render into the application PDF, and not all fields are relevant to each output category. The ARC is applying the Harvard Author-Date style to format outputs into the PDF. (The Style Manual for Authors, Editors and Printers Sixth Edition page 188 has details.)

The Notes field renders into the application PDF for the "Additional Research Outputs" Category. Although it is not available for "Unspecified Outputs".

4.2.1 Manually add Editor(s) to a Research Output

- Navigate to the RMS Login page: https://rms.arc.gov.au
- From the Person Profile section, select Research Outputs
- Against the Book Chapter or Fully Refereed Conference Proceeding Research Output that you wish to edit, click the Edit button
- Click the Add+ button and add the editor
- Click the Add+ button again for each additional editor
- Click Save

Note: A structured Editor(s) field has been introduced to allow the user to specify editors of an authored book or refereed conference proceeding in the same structure with authors. The existing unstructured editor information will be displayed as read-only text. This information will remain until the user chooses to update editor information in the structured format, the existing unstructured editor(s) information will then be replaced with the new structure format.

Author(s)		Add 🕇
Author	One	×
Author	Two	×
Editor(s)		Add +
NOTE: You have existing editors for this research output as free form data field. If you choose to convert the editors to the new structure for		
Existing Editor		

Part 5 – Adding Details to Research Outputs

- 5.1 Add details to ORCID, DOI, BibTeX & manually-created outputs
- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Against the Research Output that you wish to add details to, click the Additional Details button
- The following information can be added/edited against the output:
 - Category is automatically assigned to each output when importing from ORCID, DOI or BibTeX. If it is not correct, the user can update it in this section.

Action Centre / Manage Research Outputs	Manage Research Output Additional Details	
Manage Research Output Additiona	Details	
Research Output		
Category	Authored Book	a a a a a a a a a a a a a a a a a a a
	Salve	
	WAG Grant Project at	Add
	Close	

- ARC Grants If the Research Output originated from an ARC Grant, list the details of that grant here.
- Enter the Project ID and click the Add button.
 - The Add button will only activate when the project Id matches a valid ARC project ID format, including pre-2001 projects. Do not enter any other text.
- Enter the 'year from' and 'year to'.

	ARC Grant Project Id							
ARC Grant(s)	Project	From	То	Action				
	DP0100000	select a year •	- select a year -	×	Save	×		
	Close							

• Save and click on the Close button.

Part 6 – Searching, Sorting and Maintaining your Research Outputs

6.1 Searching and Sorting Research Outputs

- Users can search for Research Outputs in several ways, text search, filters or a combination of both.
- Text search: Use the "search" field to enter text strings, for example from the title or the author's name.

Search			

• Use the drop down lists for Category, Source or State to filter outputs.

Category	Source]
	· · ·	
		State
Authored Book	ORCID	State
Edited Book	ORCID+	All 🔻
Book Chapter		Available
Refereed Journal Article	Bibtex	
Fully Refereed Conference Proceeding	RMS	Deleted
Additional Research Output	DOI	All

• Or use a combination of text search and filters.

Search	Ci	regory		Source		State	
fox				RMS		Alt	
		Showing 1 of 1 research outputs					
Category	Reference	Funding Details	Source	Actio	ns		
Additional Research Output	_ the quick brown	fax'	RMS	608	Additional Details	Delete	

6.1.1 Sorting Research Outputs

- In Manage Research Outputs, users can sort outputs by clicking on the column headings (Category, Reference or Source) to alpha-sort the full list of outputs. Alternatively, use the search and filter options, and then sort within a smaller list of results.
- From the default sort order (as imported/entered), click once to alpha-sort ascending, second click will reverse this to alpha-sort descending, third click will return to the default order.

Category A	Reference Y	Funding Details	Source
Authored Book	x00000000x, x, aaaaaaaaaaaaa, a & bbbb, b, 'x0x x000000x x00x x000000000000 x00x x00000000		RMS
Book Chapter	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa		🛞 RMS
Refereed Journal Article	авааваа, а & аваава, а, 'хоососоос, хоососоох хоососоох хох хохох хохоососоос', хоохохих хохосох хохох, vol. 15, no. 6, pp. 300-310		😵 RMS

• In the example above, Category is in ascending order; Reference and Source are in descending order. The direction of the arrow next to the column heading indicates the sort order.

6.1.2 Updating ORCID Outputs

Users can convert an existing ORCID record output to ORCID+.

ORCID records will display with tabs below each record. If ORCID is the only source, the tab will show as "ORCID reference". If a DOI exists for the output, a tab "Use DOI reference" will display beneath the output - the user can click on this tab and the output details will refresh from Crossref or Crosscite.

	Refereed Journal Article	SYLEMARICENCEMBERGERERERERERERERERERERERERERERERERERER	ORCID	Details Delete Delete Permanently
		ORCID reference Use DOI reference		
0	Refereed Journal	x6ie000x3iaogeox7bc7bcacc2xxcx3cadacx0xx0x3cx0x2ax3cdagecxatx3caex7bcadx3cx7bbaad63acex X9beox8gcacx0x0x0x0x0x0x0x0x0x0x0x0x0x0x0x0x0x0x	ORCID	Details Delete Delete Permanently
	Article	ORCID reference Use DOI reference		Decie reiniaicity

If the user clicks the "Use DOI reference" tab, the record will refresh with additional details and include the DOI reference. The tabs will toggle to "Use ORCID Reference" and DOI reference (Refresh). The source column will also show as ORCID+.

0	Refereed	Roden Stenger (Alkerige of Theory Uradian Bandler, Winn Coces, Kindol Neeber, Obor XIXX), Exceletion (Dectropolational Exceletion (Dectropolation), Cosena, Core (Dectropolation), Cosena, Core (De		ORCID+	Details	Delete
	Journal Article	JOCHDONOCOCILIAIXX. 30602		Delete F	remanently	
		Use ORCID reference	DOI reference [Refresh]			

The user can change the source back to ORCID by clicking the "Use ORCID reference" tab.

6.2 Soft-deleting and Reviving Research Outputs

Users can soft-delete (hide) Research Outputs from view by setting their state to "Deleted" or revive them back to "Available". Only "Available" Outputs will populate into a research application.

Users can use the search and filter options to find and select individual or multiple outputs to softdelete or Revive.


Note: When you refresh (re-import) ORCID, DOI or BiBTeX data into RMS, existing outputs with a state of "Deleted" will update if there are changes at the source. However, the state will remain as "Deleted".

6.2.1 Soft-Deleting Individual Research Outputs

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Against the Research Output that you wish to Soft-Delete or hide, select the 'Delete' button.

Category	Reference	Details	Source	Actions
Authored Book	хоокосоох, к. вазвавававава, в & bbbb, b, 'хох хоосоох хоху хоосососоох хох хоосососоох,		🛞 RMS	Edit
	Commonwealth Government, Canberra			Additional Details
				Detete
				Delete Permanently
Sook Chapter	наяваяваяваяваявая, я, 'юююююю хохооосоо коно холоосоох холоосоосох холоосоосоосоо, холоосососососос кос-коно холокох холокох колокок коносох холосох холосох холосох холосох,		😋 RMS	Edil
				Additional Details
	ddddddddd (Accepted 15/10/2018)			Delete
				Delete Permanently

• A confirmation screen will open. Click the OK button to confirm that you wish to delete the research output.



• Select "Deleted" from the State filter to view Deleted outputs.

6.2.2 Reviving Individual Research Outputs.

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- Under the Search filters at the top, select 'Deleted' from the State. This will list any Research Outputs marked as Deleted.
- Against the Research Output that you wish to revive, select the Revive button.

Search		Category	egory .		Source		State	
			•	RMS	<u>i</u>		Deleted	*
Select All Deselect All In Category	uik Deiete Buik Revive Buik D Referance	Showing 2 of 2 research out	puts	Funding Details	Source	Actio	ns	
Authored Book	X0000000X, X, 8888888	asaasa, a & bbbb, b, 'nor ronnorr rnor ronnoronnor nivealth Government, Canberra	OOL XHX		😞 RMS	Edit	Additional Details	ty.

• A confirmation screen will open. Click the OK button to confirm that you wish to revive the research output.

Are you sure you wish to revive this research output?		8
Note: Research outputs can be deleted at any time		
	Cancel	ок

• The revived Research Output will display as 'Available'.

6.2.3 Bulk Delete

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- To Bulk Delete, select the State Filter to "Available".
- Tick the box next to the Outputs you wish to Delete, or use the 'Select All' or 'Deselect All' buttons.
- Once the user has selected output/s, the Bulk Delete button will be available.

Note: If the user sets the State filter to "All" and ticks both 'Available' and 'Deleted' outputs, or uses "Select All", the 'Bulk" buttons will not activate.

Search	Category		Source		Stat	e
			RMS		A	viilable •
Salect All Dessiect All Bulk Dalet	Duk Farma Buk Delete Permanently	Showing 15 of 15 research outputs		Funding		
Category	Reference			Details	Source	Actions
e Authored Book	xxxxxxxxx, x, aaaaaaaaaaaaa, a & bb Commonweath Government, Canberr		00000001;		IMS RMS	Ecil Additional Details Detete Detete Pormanently
Book Chapter	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx		222233		S RMS	Eas Additional Details Delete Delete Permanently
e Refersed Journal Article	ававава, а & явавая, а, хохохох, хо хохохох хохох, vol. 15, no. 6, pp. 309-	nikonok kononna na kona nimkandi, kona 310	ba		S RMS	Edit Additional Details Delete Delete Permanently

• A confirmation screen will open. Click the OK button to confirm that you wish to revive the research outputs.

Note: Delete	d research ou	tputs can be r	evived at any	time	
					_

• The user can view deleted outputs by selecting "Deleted" from the State filter.

6.2.4 Bulk Revive

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs
- To Bulk Revive, select the State Filter to "Deleted".
- Tick the box next to the Outputs you wish to Revive, or use the 'Select All' or 'Deselect All' buttons.
- Once the user has selected output/s, the Bulk Revive button will be available.

Search	Category		Source		Stat	0	
		٣	RMS		D	eleted	•
Select All Deselect All Bulk Del	The Date Review, Date Dobbe Pronutrativy Showing 4 of 4 research out	puts		Funding Details	Source	Actions	
Authored Book	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	000 000 00000000	000ť,		() RMS	Edit Additional Datata Revive Detete Programm	2
800k Chapter	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaxxxxxx		Q.W.,		RMS	Edil Additional Details Revise Deckle Pormaneer	-
🗶 Refereed Journal Article	алалала, а & алалал, а, 'юохотоох, хотохотоох хотоотоох хото хотоо хотоох хото	0000°, 199000093	000007		en RMS	Edil Additional Defails Revive Delete Permanent	

• A confirmation screen will open. Click the OK button to confirm that you wish to revive the research outputs.



• The revived Research Outputs will display as 'Available'.

6.3 Previewing the Research Outputs PDF

PDF preview is available within the Manage Research Outputs screen of the user profile by selecting one or more Research Outputs, and entering the maximum number of Authors to display and clicking the PDF button. The ARC recommends users check how their Research Outputs will render into the PDF before adding them to a research proposal.

- Select the outputs you wish to review in PDF, and then click the "Preview citations in PDF" button. (The button is only available if at least one output is selected.)
- The Maximum Authors defaults to 5. The minimum is 1.

	letect All Deselect All Bulk Delete Bulk Revive Bulk Delete Permanenty Preview children in PDE 🕤 Max authors 2			en es se un re	search outputs.
	Category	Reference	Funding Details	Source	Actions
æ	Authored Book	Govers, R., James, D.E. & Coster, A.C.F. 2008, 'High-Throughput analysis of the dynamics of recycling cell surface proteins', Methods in Molecular Biology, vol. 440, pp. 129-146 ORCID Inference Use DOI Inference	de120100034 (2017 - 2021)	0 ORCID	Detait Detete Detete Persunen
8	Authored Book	Schmidt, B. P. 2017. Testing: On the nature of hydrogen-rich superhuminous supernovae'. Challenging the Ontbodoxy: Reflections on Frank Strives's Contribution to Political Economy, vol. 9763642361210. Springer- Verlag Berlin Heidelberg, pp. 125-235, doi:10.1093/mmras/stx3179 ORCID Interence: Use DOI interence		ORCID	Detets Detete Detete Perstanen
0	Authored Book	Jefferson, T. 2015. 'Qualitative data and grounded theory in heterodox economic research: Insights from three Australian studies', Advancing the Frontiers of Heterodox Economics: Essaya in Honor of Frederic S. Lee, Taylor and Francis Inc., pp. 77-94		() ORCID	Details Deteile Deteile Permanen
2	Refereed Journal Article	Paul Duffield Brewer, Estifanos N. Habilemichael, Irina Romenskala, Cynthia Corley Mastick & Adelle C. F. Coster 2015, 'Giuld Is Sorted from a Rab10 (GTPase)-independent Constitutive Recycling Pathway into a Highly Insulin-responsive Rab10 (GTPase)-dependent Sequestration Pathway after Addpocyte Offerentiation', <i>Journal of Biological Chemistry</i> , vol. 291, no. 2, pp. 773–789, doi:10.1074/jbc.m115.694519 Ltax CRCID reference Explored		G ORCID+	Details Details Details Permanen

Authored Books

[1] Govers, R. & James, D.E. et al. 2008, 'High-Throughput analysis of the dynamics of recycling cell surface proteins', Methods in Molecular Biology, vol. 440, pp. 129-146

Refereed Journal Articles

[1] Paul Duffield Brewer & Estifanos N. Habtemichael et al. 2015, 'Glut4 Is Sorted from a Rab10 GTPase-independent Constitutive Recycling Pathway into a Highly Insulin-responsive Rab10 GTPase-dependent Sequestration Pathway after Adipocyte Differentiation', *Journal of Biological Chemistry*, vol. 291, no. 2, pp. 773–789, doi:10.1074/jbc.m115.694919

Notes on outputs rendering into PDF:

- Mathematical symbols will render correctly in the PDF when enclosed by \$ signs.
- Author names will display the same as the source data for all authors, and limited to the number of "Max Authors" selected.
- Invalid citations (showing as red text in RMS) will not render into the PDF.
- Research Output numbering restarts for each category.

Part 7 - Permanently Delete Research Outputs

It is possible for a user to remove Research Outputs from their RMS account permanently. Users will find this particularly useful where an import process has included duplicates or inaccurate works. It may be easier to permanently delete the outputs, correct them at source (if possible) then re-import.

Using the search and select functions described in Part 6, the user can find and select one, many or all of their outputs to permanently delete from their profile, and then click the "Delete Permanently" button. Unlike the "soft-delete" option, outputs can be in any state (Available, Deleted, All) for the "Delete Permanently" option.

7.1 Permanently Delete Individual Research Outputs

- Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>
- From the Person Profile section, select Research Outputs.
- Against the Research Output that you wish to delete permanently, select the 'Delete Permanently' button.

Category	Reference	Details	Source	Actions
Authored Book	хосоохос, х, аваававававаа, a & bbbb, b, 'хох хососох хоох хосохохосоох хох хосохосо		👩 RMS	Edit
Commonwealth Gove	Commonwealth Government, Canberra			Additional Details
				Delete
				Delete Permanently

• A confirmation screen will open. Click the OK button to confirm that you wish to 'permanently delete' the research output.

Are you sure you wish to permanently delete this research output?	×
Note: Permanently deleted research outputs cannot be revived and are completely removed from RMS, including all additional details associated with the research output	
Cancel OK	

• Clicking "OK" will completely remove the Research Output from the user's profile.

7.2 Bulk 'Permanently Delete' Research Outputs

Navigate to the RMS Login page: <u>https://rms.arc.gov.au</u>

- From the Person Profile section, select Research Outputs
- Tick the box next to the Research Outputs you wish to Delete, or use the 'Select All' or 'Deselect All' buttons.
- Once the user has selected output/s, the Bulk Delete button will be available.

Search	Category		Source		State	
		•	RMS		Available	•
Select All Deselect All Bulk Delets Category	Built Farware Block Dekke Permanently	Showing 15 of 15 research outputs,	Fundin Details		ource Actions	
Authored Book	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	b. b. '904 NOVERN NOV RECEIPTION REF RECEIPTION	0000000,	0	RMS Eat Additional D Delete Celetit Perm	
🖌 Book Chapter		00000000000000000000000000000000000000		0	RMS Exil Additional D Delete Perm	PUDD!
2 Refereed Journal Article	ававава, в & ававаа, в, 'хоссосох, ххо хосохох хохох, vol. 15, no. 6, pp. 300-3	000000 X00000000 X0X X0000 X00000000, X0X000 10	oor	8	RMS Edit Additional D Delete Delete	

• A confirmation screen will open. Click the OK button to confirm that you wish to 'permanently delete' the selected Research Outputs.

Are you sure you wish to permanently delete the selected research outputs?	×
Note: Permanently deleted research outputs cannot be revived and are completely removed from RMS, including all additional details associated with research output	the
Cancel	ок

• Clicking "OK" will completely remove the outputs from the user's profile.

Part 8 – Citation Handling and Rendering

8.1 Citation Handling in RMS

RMS collects Research Outputs from various sources (ORCID, BibTeX files, DOI providers and manually entered Research Outputs). Each of these sources can potentially include citations in various formats.

Note: RMS will not correctly render MathML mark-up in citations

The citation formats can be broken into three groups:

- (1) BibTeX;
- (2) RMS-compatible formats; and
- (3) Text based formats that RMS cannot understand.

BibTeX and RMS-compatible formats will render in a Harvard Citation format. Text based formats will be rendered "As is".

RMS allows entering of Custom citations via ORCID by choosing 'Unspecified' citation format and then entering a formatted citation in the citation field. RMS will render these "As is"

Note: Not all fields available in ORCID, BibTeX or DOI are included in the HARVARD format. For example, ISSN/ISBN are not included.

Source: ORCID	
BibTeX	BibTeX
RIS	RMS Compatible
APA	Text Based
Chicago	Text Based
Harvard	Text Based
IEEE	Text Based
Vancouver	Text Based
Unspecified	Text Based
Source: BibTeX import	
BibTeX	BibTeX
Source: DOI Import	
BibTeX	BibTeX
Source: Manual RMS	
BibTeX with Text Title	BibTeX
BibTeX with LaTeX Title	BibTeX

Below is a breakdown of these groupings:

8.2 Rendering of BibTeX Citations

LaTeX is a typesetting mark-up language used to create formatted documents. Originally, BibTeX was created as a way to create bibliographies in LaTeX documents.

This means that BibTeX citations often include LaTeX mark-up for adding formatting or displaying formula or other symbols that normal ASCII characters cannot represent.

The generated Application PDF will correctly render LaTeX mark-up in most scenarios. The ARC strongly recommends using the "Preview citations PDF" option in "Manage Research Outputs" to verify that all Research Output citations will render correctly in the Application PDF before adding them to the ROPE question in the Application.

LaTeX mark-up will not render correctly in the generated Application PDF when the mark-up relies on a BibTeX preamble that defines new LaTeX commands.

RMS will not render LaTeX mark-up in the Research Output list and edit screens (include online Application forms) except for mathematical symbols that are enclosed within \$ characters.

RMS may not correctly render characters from some Non-English languages in the generated application PDF. The ARC recommends citations that can be expressed using the Times New Roman font or similar.

Some BibTeX citations may import into RMS but display as raw BibTeX in RMS list and edit screens. This can occur when the citation key in the BibTeX contains any of the following characters:

',', '{', '}', ' ', '='.

In this case, RMS will not correctly parse the BibTeX citation and these Research Outputs will not be available for selection in the Application Form.

Appendix

BiBTeX Field	Limited to Citation Types	Description
author		The name(s) of the author(s) (in the case of more than one author, separated by <i>and</i>)
editor		The name(s) of the editor(s) (in the case of more than one author, separated by and)
year		The year of publication (or, if unpublished, the year of creation)
title		The title of the work
journal		The journal or magazine the work was published in
booktitle		The title of the book, if only part of it is being cited
edition		The edition of a book, long or short form (such as "1st", "2", "First" or "Second")
volume		The volume of a journal or multi-volume book
number		The "(issue) number" of a journal, magazine, or tech- report, if applicable
article-number		The "article number" of a journal, magazine, or tech- report, if applicable
publisher	Authored Book Edited Book Book Chapter	The publisher's name
address	Authored Book Edited Book Book Chapter	Publisher's address (usually just the city, but can be the full address for lesser-known publishers)
pages		Page numbers, separated either by commas or double- hyphens.
doi		Digital Object Identifier
media	Additional Research Output	Media type of work
note	Additional Research Output	Miscellaneous extra information

Attachment A: List of October 2019 enhancements for Research Outputs within the User profile and the application ROPE question.

The ARC appreciated the feedback received from the research sector on the Outputs function over the last 12 months and has implemented a number of enhancements.

User Profile – Manage Research Outputs

- Invalid Research Outputs will now be included in the ORCID import, but will display in red text on the Manage Outputs screen so that applicants can easily identify them and correct the source data. They will not render into the PDF or populate into a research application until corrected. [Outputs User Guide: Section 1.2]
- 2. Ability to enter unspecified citations only for Additional Research output type directly into RMS (Date and Text). [Outputs User Guide: Section 4.1.1]
- 3. Ability to enter Editor/s separately from authors when adding a research output manually. Editors previously entered manually as free text should display and in read only mode. [Outputs User Guide: Section 4.2.1]
- 4. We have removed the "CI or equivalent" field from the "Additional Details screen in both Manage Outputs and the application ROPE Question. The ARC will only retain this data where it exists on submitted applications. However, it is no longer required for new applications. [Outputs User Guide: Section 5.1]
- 5. Ability to convert an existing ORCID record output to ORCID+: If a DOI exists for the output, a tab "Use DOI reference" will display below the output the user can click on this tab and the output details will refresh from Crossref or Crosscite. [Outputs User Guide: Section 6.1.2]
- 6. PDF Preview of citations is now available within the Manage Research Outputs screen of the user profile by selecting outputs and clicking the PDF button (previously this was only available within the research application). The Maximum number of Authors to include in the PDF can also be set. [Outputs User Guide: Section 6.3]

Additions to imports and improvements to display/rendering

- 7. The Citation Article Number for Referred Journal Articles is now included in the import from ORCID, BibTeX or DOI, and the field is also available for manually entered outputs. The article number will display in the research proposal ROPE question and in the PDF.
- 8. The Book Edition is now included in the import from ORCID, BibTeX or DOI, and the field is also available for manually entered outputs. The Book Edition will display in the research proposal ROPE question and in the PDF.
- 9. The field *Book Title* has been updated to *Conference Outlet* Title for the Fully Refereed Conference Proceeding citation type.
- Mathjax is removed: This means that math symbols like any other scientific symbols will not render in the RMS screens at all. However, they are to be rendered in the PDF. [Outputs User Guide: Section 4.1]
- 11. The author name list will now display the same as the source data for all authors as entered by the user. This applies to both Manage Research Outputs and the ROPE question in the application.

We have updated the Outputs User Guide to reflect the above changes.

Changes to the Rope Question within applications

- 12. A live count of the number of outputs attached to the ROPE question the count updates as the user adds or removes outputs.
- 13. Research Outputs generated in the proposal PDFs now include Output Type for the 10 best publications. (In brackets at the end of each output)

The Scheme instructions cover these changes in more detail.