



Australian Government

Australian Research Council

Research Outputs in RMS

User Guide for Maintaining Research Outputs in your RMS Profile

Updated 17 September 2019 (Version 4)

Contents

Overview	3
Part 1 – How to import Research Outputs from ORCID	4
1.1 Link your ORCID account with your RMS account	4
1.2 Import Research Outputs from ORCID	5
1.3 Retrieval Criteria for ORCID	7
1.2 Invalid Research Outputs	7
Part 2 – How to import Research Outputs using DOI	8
2.1 Import Research Outputs from DOI.....	8
Part 3 – How to import Research Outputs using BibTeX	9
3.1 Import Research Outputs from BibTeX.....	9
Part 4 – How to manually add Research Outputs	10
4.1 Manually add a Research Output.....	10
4.1.1 Add Unspecified Citation	11
4.2 Edit a manually added Research Output.....	11
Part 5 – Adding Details to Research Outputs	12
5.1 Add details to ORCID, DOI, BibTeX & manually-created outputs.....	12
Part 6 – Searching, Sorting and Maintaining your Research Outputs.....	13
6.1 Searching and Sorting Research Outputs.....	13
6.1.1 Sorting Research Outputs.....	13
6.1.2 Updating ORCID Outputs	14
6.2 Soft-deleting and Reviving Research Outputs.....	15
6.2.1 Soft-Deleting Individual Research Outputs	15
6.2.2 Reviving Individual Research Outputs.	16
6.2.3 Bulk Delete	16
6.2.4 Bulk Revive.....	17
6.3 Previewing the Research Outputs PDF.....	18
Part 7 - Permanently Delete Research Outputs	19
7.1 Permanently Delete Individual Research Outputs	19
7.2 Bulk 'Permanently Delete' Research Outputs.....	20
Part 8 – Citation Handling and Rendering.....	21
8.1 Citation Handling in RMS.....	21
8.2 Rendering of BibTeX Citations	22

Overview


As part of the Australian Research Council's (ARC's) commitment to implement efficient processes to automate and streamline the collection of researcher information, the ARC has built functionality within the Research Management System (RMS) to allow researchers and Research Office Staff to list research outputs against a user's RMS profile. Through this, the ARC aims to reduce the burden of repeated manual entry of research outputs ('works') in the grant application process.

Researchers can add outputs to their RMS profile through any of the following methods:

1. Link an RMS account with an ORCID (Open Researcher and Contributor ID) account and import the research outputs from the Works section of the user's ORCID profile;
2. Add a research output citation by using a valid Digital Object Identifier (DOI);
3. Upload a BibTeX file to RMS and perform a bulk upload of the research outputs contained within it; or
4. Manually create an individual record per research output within the RMS user profile.

Once the research outputs have been added to the user's RMS profile, they can be added to the research outputs questions of the Personnel and [Research Opportunity and Performance Evidence \(ROPE\)](#) section of an application form.

The ARC strongly recommends that prospective applicants import/update their outputs and confirm that the outputs will render correctly in PDF before starting an ARC research application.



Part 1 – How to import Research Outputs from ORCID

ORCID (Open Researcher and Contributor ID) is an open, non-profit, community-driven effort to create and maintain a registry of unique researcher identifiers and a transparent method of linking research activities and outputs to these identifiers.

1.1 Link your ORCID account with your RMS account

Note: Only the user is able to authenticate their ORCID account and provide access to the ARC to read their limited-access information. Once the authentication has occurred, Researchers and Research Office Staff are able to import the outputs into a user's profile.

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, Select Personal Details
- Under the ORCID ID section of the Personal Details page, Select the Create or Connect your ORCID ID button



- A new window will open, allowing the user to sign in to their ORCID account or to register for a new ORCID account.



The screenshot shows the ORCID website interface. At the top is the ORCID logo. Below it is the text 'Sign into ORCID or Register now'. There are two tabs: 'Personal account' (selected) and 'Institutional account'. Below the tabs is the text 'Sign in with your ORCID account'. There are two input fields: 'Email or ORCID iD' and 'ORCID password'. At the bottom is a blue button labeled 'Sign into ORCID'.

- Once the user has entered their account details, a message will prompt the user to authorise RMS to read their limited-access information.

The same function is available on the Research Output page in a user's RMS profile.




- Once the user has authorised, RMS will confirm and the user can close the window.



1.2 Import Research Outputs from ORCID

Note: The ARC recommends that researchers check their ORCID “Works” section before importing, and where necessary and possible edit the citation text and ensure the records are correct and appropriate, and nominate a preferred citation source for each work item.

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs.
- Select the Populate from ORCID button.



Note: If the user has not yet linked their ORCID account to their RMS Account, RMS will prompt them to do so at this stage. Further to this, if the user had previously linked their ORCID account to the RMS account, but had not yet authorised the ARC to read the limited access information, then RMS will prompt the user to do this.

- The following information panel will appear.

Populate from ORCID

Do you wish to retrieve Works from ORCID and populate them into RMS?

NOTE: Any Works that have previously been populated into RMS will be updated with the latest data from ORCID

☐ Import all sources for each ORCID work (may create duplicate Research Outputs)

NOTE: RMS will attempt to retrieve the "preferred source" for each work in the ORCID record. In some circumstances RMS will not be able to correctly identify the "preferred source" for the work. This is a limitation of the ORCID integration API.

Populate
Close

Note: By default, if the user does not tick the “all sources’ option, RMS will only import the nominated “preferred source” citation from ORCID, provided the user has indicated a preferred source for each works item.

If works item/s have multiple citation sources and the user has not indicated a preferred source and does not tick the ‘all sources’ option, RMS will import one random citation for each work.

- Click Populate



- The retrieved Research Outputs will display on the screen.

Orcid Research Outputs			
Type	DOI	Title	Citation
JOURNAL_ARTICLE		Test Article for RMS	Test Article

- If the user subsequently removes their ORCID ID from ‘Personal Details’ the outputs already imported from ORCID will remain in their RMS profile.

1.3 Retrieval Criteria for ORCID

RMS will only retrieve items in the Works section of the user's ORCID profile if they have the following:

- A visibility setting of 'Everyone' and 'Trusted Parties', and
- Either a citation or a DOI (or both).

RMS will only retrieve the following information for each item that meets the above criteria:

- Category (Book Chapter, Refereed Journal Article etc.)
 - Users should check that the category is correct – if not correct, the user can update it in their RMS profile by selecting the “Additional Details” button next to the output.
- Only the citation data from the nominated preferred source, if the user has indicated this in ORCID. (Depending on the Source, the user may or may not be able to edit the citation text.)

Note: RMS will NOT retrieve the title field from ORCID; the output's title must be included in the citation text


Note: Citation is not mandatory within ORCID. If an ORCID Research Output does not contain a citation but does contain a DOI, RMS will use the DOI to make a reasonable attempt to recover this information using available resources (Crossref/Crosscite)


Part 2 – How to import Research Outputs using DOI

“A digital object identifier (DOI) is a unique alphanumeric string assigned by a registration agency (the International DOI Foundation) to identify content and provide a persistent link to its location on the Internet. The publisher assigns a DOI when your article is published and made available electronically.”


RMS users can import research output information by entering a DOI, and RMS will automatically harvest metadata for that output.

2.1 Import Research Outputs from DOI

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Select the Add by DOI button 
- A Text Input screen will open. Enter a valid DOI and click the Add button.




- RMS will import the Research Output to the User's Profile. To refresh the DOI Research Output click on the Refresh DOI tab below the record.




Part 3 – How to import Research Outputs using BibTeX

BibTeX is a list of references, formatted in a specific way. Many citation database providers, such as ORCID, EndNote and Scopus, enable the bulk download of research outputs into a single file in BibTeX format. Further information on accessing BibTeX files is available on the providers' websites.

3.1 Import Research Outputs from BibTeX

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Select the Import BibTeX button 
- A file input screen will open. Choose the file that you wish to import, the BibTeX file extension is .bib



Import BibTeX

File input


works.bib

Select a file containing the bibtex entries that you want to import

- Click on Import. All of the records contained within the BibTeX file will import into the user's profile.

Part 4 – How to manually add Research Outputs

4.1 Manually add a Research Output

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Select the Add Manually button 
- A form is available for users to enter Research Outputs. First, select the Type of Research Output and the form will update to show the fields relevant to the Research Output Type.

Type

Authoried Book

Authoried Book

Edited Book

Book Chapter

Refereed Journal Article

Fully Refereed Conference Proceeding

Additional Research Output

- The Title Format has two available formats: (1) Text (English Unicode) and (2) LaTeX. The Text format displays the Research Output Title “as is” entered by the User.

The LaTeX format only supports BibTeX subsets of Latex citation formats (ORCID with BibTeX, DOI import or RMS with LaTeX Title Format). In list views and edit screens RMS will not render LaTeX formatting.

☐ Book

☐ Chapter

$$S_X G F_S Z X B o X z E = \$$$

BibTeX

Details

Delete

Delete Permanently

Example of mathematical formula enclosed in \$ rendered into the PDF.

Book Chapters

[1]
$$S_X G F_S Z X B o X z E = \$$$


Note: Valid LaTeX formatting will render correctly in the application PDF in most circumstances. (See Part 7 for more details on rendering BibTeX citations.)

- Once the fields have been populated, click the Save button to close the window and save the information to the user’s Research Outputs list.


4.1.1 Add Unspecified Citation

NOTE: Unspecified citation format only possible for the “Additional Research Output” type

- To add an Unspecified Citation type select Additional Research Output, then select “Yes” under “Free Form Citation”.



- Enter relevant text and date (Month and Year). The citation text will allow up to 4000 characters. Click “Save”.
- The citation will display in the Manage Outputs list.



Note: Only the citation text will display in the RMS outputs list or render into the PDF. To have the date display, include it within the citation text.

4.2 Edit a manually added Research Output

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Against the Research Output that you wish to edit, click on the Edit button
- Make the required edits and click the Save button


Note: Not all the fields available in manual entry will render into the application PDF, and not all fields are relevant to each output category. The ARC is applying the Harvard Author-Date style to format outputs into the PDF. (The Style Manual for Authors, Editors and Printers Sixth Edition page 188 has details.)

The Notes field renders into the application PDF for the “Additional Research Outputs” Category. Although it is not available for “Unspecified Outputs”.


Part 5 – Adding Details to Research Outputs

5.1 Add details to ORCID, DOI, BibTeX & manually-created outputs

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Against the Research Output that you wish to add details to, click the Additional Details button
- The following information can be added/edited against the output:
 - Category – is automatically assigned to each output when importing from ORCID, DOI or BibTeX. If it is not correct, the user can update it in this section.



- ARC Grants - If the Research Output originated from an ARC Grant, list the details of that grant here.
- Enter the Project ID and click the Add button.
 - *The Add button will only activate when the project Id matches a valid ARC project ID format, including pre-2001 projects. Do not enter any other text.*
- Enter the 'year from' and 'year to'.



ARC Grant(s)	Project	From	To	Action
	DP0100000	-- select a year --	-- select a year --	Save X

- Save and click on the Close button.


Part 6 – Searching, Sorting and Maintaining your Research Outputs

6.1 Searching and Sorting Research Outputs


- Users can search for Research Outputs in several ways, text search, filters or a combination of both.
- Text search: Use the “search” field to enter text strings, for example from the title or the author’s name.

A rectangular search box with a light blue border. Inside, the word "Search" is written in blue text above a white text input field.

- Use the drop down lists for Category, Source or State to filter outputs.

Three dropdown menus are shown side-by-side. The first, labeled "Category", has a list of options: "Authored Book", "Edited Book", "Book Chapter", "Refereed Journal Article", "Fully Refereed Conference Proceeding", and "Additional Research Output". The second, labeled "Source", has options: "ORCID", "ORCID+", "Bibtex", "RMS", and "DOI". The third, labeled "State", has options: "All", "Available", "Deleted", and "All" (highlighted in blue).

- Or use a combination of text search and filters.

A screenshot of a search interface. At the top, there are four filters: "Search" (with the text "fox" entered), "Category" (a dropdown menu), "Source" (a dropdown menu with "RMS" selected), and "State" (a dropdown menu with "All" selected). Below these filters, it says "Showing 1 of 1 research outputs." A table follows with columns: "Category", "Reference", "Funding Details", "Source", and "Actions". The first row shows "Additional Research Output" in the Category column, "the quick brown fox" in the Reference column, an "RMS" icon in the Source column, and buttons for "Edit", "Additional Details", and "Delete" in the Actions column.

6.1.1 Sorting Research Outputs

- In Manage Research Outputs, users can sort outputs by clicking on the column headings (Category, Reference or Source) to alpha-sort the full list of outputs. Alternatively, use the search and filter options, and then sort within a smaller list of results.
- From the default sort order (as imported/entered), click once to alpha-sort ascending, second click will reverse this to alpha-sort descending, third click will return to the default order.

6.2 Soft-deleting and Reviving Research Outputs

Users can soft-delete (hide) Research Outputs from view by setting their state to “Deleted” or revive them back to “Available”. Only “Available” Outputs will populate into a research application.

Users can use the search and filter options to find and select individual or multiple outputs to soft-delete or Revive.


Note: When you refresh (re-import) ORCID, DOI or BiBTeX data into RMS, existing outputs with a state of “Deleted” will update if there are changes at the source. However, the state will remain as “Deleted”.

6.2.1 Soft-Deleting Individual Research Outputs

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Against the Research Output that you wish to Soft-Delete or hide, select the ‘Delete’ button.

Category	Reference	Details	Source	Actions
Authored Book	xxxxxxxx, x, aaaaaaaaaaaaa, a & bbbb, b, 'xxx xxxxxx xxx xxxxxxxxxxxxxx xxx xxxxxxxxxxxxxx', Commonwealth Government, Canberra		RMS	Edit Additional Details Delete Delete Permanently
Book Chapter	aaaaaaaaaaaaaaaa, a, 'xxxxxxxxxxx xxxxxxxxxxx xxxxxx xxxxxxxxxxx xxxxxxxxxxxxxxxxxxx', xxxxxxxxxxxxxxxxxxx xxx-xxxxx xxxxxxx xxxxxxx xxxxxxxxxx: xxxxxxx xxxxxx xxx xxxxxxxxxxx xxxxxxx, dddddddddd (Accepted 15/10/2018)		RMS	Edit Additional Details Delete Delete Permanently

- A confirmation screen will open. Click the OK button to confirm that you wish to delete the research output.



- Select “Deleted” from the State filter to view Deleted outputs.

6.2.2 Reviving Individual Research Outputs.

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Under the Search filters at the top, select 'Deleted' from the State. This will list any Research Outputs marked as Deleted.
- Against the Research Output that you wish to revive, select the Revive button.

The screenshot shows the RMS interface with filters at the top: Search, Category, Source (RMS), and State (Deleted). Below the filters are buttons: Select All, Deselect All, Bulk Delete, Bulk Revive, and Bulk Delete Permanently. A message says "Showing 2 of 2 research outputs." Below this is a table with columns: Category, Reference, Funding Details, Source, and Actions. The table contains one row for an "Authored Book" with a reference text. The Actions column for this row has buttons: Edit, Additional Details, Revive (highlighted in yellow), and Delete Permanently (highlighted in red).

- A confirmation screen will open. Click the OK button to confirm that you wish to revive the research output.

The screenshot shows a confirmation dialog box with the text: "Are you sure you wish to revive this research output?". Below this is a note in a light blue box: "Note: Research outputs can be deleted at any time". At the bottom right are two buttons: Cancel and OK (highlighted in blue).

- The revived Research Output will display as 'Available'.

6.2.3 Bulk Delete

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- To Bulk Delete, select the State Filter to "Available".
- Tick the box next to the Outputs you wish to Delete, or use the 'Select All' or 'Deselect All' buttons.
- Once the user has selected output/s, the Bulk Delete button will be available.

Note: If the user sets the State filter to "All" and ticks both 'Available' and 'Deleted' outputs, or uses "Select All", the 'Bulk' buttons will not activate.

Search Category Source State

Select All Deselect All Bulk Delete Bulk Revive Bulk Delete Permanently Showing 15 of 15 research outputs.

Category	Reference	Funding Details	Source	Actions
<input checked="" type="checkbox"/> Authored Book	xxxxxxxx, x, aaaaaaaaaaaaaa, a & bbbb, b, 'xxx xxxxxx xxx xxxxxxxxxxxxxx xxx xxxxxxxxxxxxxx', Commonwealth Government, Canberra		RMS	Edit Additional Details Delete Delete Permanently
<input checked="" type="checkbox"/> Book Chapter	aaaaaaaaaaaaaaaa, a, 'xxxxxxxx xxxxxxxxxxx xxx xxxxxxxxxxx xxxxxxxxxxxxxxxxxxx', xxxxxxxxxxxxxxxxxxx xxx-xxxx xxxxxxx xxxxxxx xxxxxxx xxxxxxxxxxx xxxxxxx, dddddddddd (Accepted 15/10/2018)		RMS	Edit Additional Details Delete Delete Permanently
<input checked="" type="checkbox"/> Refereed Journal Article	aaaaaaa, a & aaaaa, a, 'xxxxxxxx, xxxxxxxxxxx xxxxxxxxxxx xxx xxxxxx xxxxxxxxxxx', xxxxxxx xxxxxx, vol. 15, no. 6, pp. 300-310		RMS	Edit Additional Details Delete Delete Permanently

- A confirmation screen will open. Click the OK button to confirm that you wish to revive the research outputs.

Are you sure you wish to delete the selected research outputs?

Note: Deleted research outputs can be revived at any time

Cancel OK

- The user can view deleted outputs by selecting “Deleted” from the State filter.

6.2.4 Bulk Revive

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- To Bulk Revive, select the State Filter to “Deleted”.
- Tick the box next to the Outputs you wish to Revive, or use the ‘Select All’ or ‘Deselect All’ buttons.
- Once the user has selected output/s, the Bulk Revive button will be available.

Search Category Source State

Select All Deselect All Bulk Delete Bulk Revive Bulk Delete Permanently Showing 4 of 4 research outputs.

Category	Reference	Funding Details	Source	Actions
<input checked="" type="checkbox"/> Authored Book	xxxxxxxx, x, aaaaaaaaaaaaaa, a & bbbb, b, 'xxx xxxxxx xxx xxxxxxxxxxxxxx xxx xxxxxxxxxxxxxx', Commonwealth Government, Canberra		RMS	Edit Additional Details Revive Delete Permanently
<input checked="" type="checkbox"/> Book Chapter	aaaaaaaaaaaaaaaa, a, 'xxxxxxxx xxxxxxxxxxx xxx xxxxxxxxxxx xxxxxxxxxxxxxxxxxxx', xxxxxxxxxxxxxxxxxxx xxx-xxxx xxxxxxx xxxxxxx xxxxxxx xxxxxxxxxxx xxxxxxx, dddddddddd (Accepted 15/10/2018)		RMS	Edit Additional Details Revive Delete Permanently
<input checked="" type="checkbox"/> Refereed Journal Article	aaaaaaa, a & aaaaa, a, 'xxxxxxxx, xxxxxxxxxxx xxxxxxxxxxx xxx xxxxxx xxxxxxxxxxx', xxxxxxx xxxxxx, vol. 15, no. 6, pp. 300-310		RMS	Edit Additional Details Revive Delete Permanently

- A confirmation screen will open. Click the OK button to confirm that you wish to revive the research outputs.

Are you sure you wish to revive the selected research outputs? ✕

Cancel OK

- The revived Research Outputs will display as 'Available'.

6.3 Previewing the Research Outputs PDF

PDF preview is available within the Manage Research Outputs screen of the user profile by selecting one or more Research Outputs, and entering the maximum number of Authors to display and clicking the PDF button. The ARC recommends users check how their Research Outputs will render into the PDF before adding them to a research proposal.

- Select the outputs you wish to review in PDF, and then click the "Preview citations in PDF" button. (The button is only available if at least one output is selected.)
- The Maximum Authors defaults to 5. The minimum is 1.

Select All Deselect All Bulk Delete Bulk Revive Bulk Delete Permanently Preview citations in PDF Max authors: 2		Showing 50 of 50 research outputs.		
Category	Reference	Funding Details	Source	Actions
<input checked="" type="checkbox"/> Authored Book	Govers, R., James, D.E. & Coster, A.C.F. 2008, 'High-Throughput analysis of the dynamics of recycling cell surface proteins', <i>Methods in Molecular Biology</i> , vol. 440, pp. 129-146 ORCID reference Use DOI reference	de120100034 (2017 - 2021)	ORCID	Details Delete Delete Permanently
<input type="checkbox"/> Authored Book	Schmidt, B. P. 2017, 'Testing: On the nature of hydrogen-rich superluminous supernovae', <i>Challenging the Orthodoxy: Reflections on Frank Stilwell's Contribution to Political Economy</i> , vol. 9783642361210, Springer-Verlag Berlin Heidelberg, pp. 125-235, doi:10.1093/mnras/stx3179 ORCID reference Use DOI reference		ORCID	Details Delete Delete Permanently
<input type="checkbox"/> Authored Book	Jefferson, T. 2015, 'Qualitative data and grounded theory in heterodox economic research: Insights from three Australian studies', <i>Advancing the Frontiers of Heterodox Economics: Essays in Honor of Frederic S. Lee</i> , Taylor and Francis Inc., pp. 77-94		ORCID	Details Delete Delete Permanently
<input checked="" type="checkbox"/> Refereed Journal Article	Paul Duffield Brewer, Estifanos N. Habtemichael, Irina Romenskaia, Cynthia Corley Mastick & Adelle C. F. Coster 2015, 'Glut4 Is Sorted from a Rab10 (GTPase)-independent Constitutive Recycling Pathway into a Highly Insulin-responsive Rab10 (GTPase)-dependent Sequestration Pathway after Adipocyte Differentiation', <i>Journal of Biological Chemistry</i> , vol. 291, no. 2, pp. 773-789, doi:10.1074/jbc.m115.694919 Use ORCID reference DOI reference [Refresh]		ORCID+	Details Delete Delete Permanently

<h4>Authored Books</h4> <p>[1] Govers, R. & James, D.E. et al. 2008, 'High-Throughput analysis of the dynamics of recycling cell surface proteins', <i>Methods in Molecular Biology</i>, vol. 440, pp. 129-146</p> <h4>Refereed Journal Articles</h4> <p>[1] Paul Duffield Brewer & Estifanos N. Habtemichael et al. 2015, 'Glut4 Is Sorted from a Rab10 GTPase-independent Constitutive Recycling Pathway into a Highly Insulin-responsive Rab10 GTPase-dependent Sequestration Pathway after Adipocyte Differentiation', <i>Journal of Biological Chemistry</i>, vol. 291, no. 2, pp. 773-789, doi:10.1074/jbc.m115.694919</p>
--

Notes on outputs rendering into PDF:

- Mathematical symbols will render correctly in the PDF when enclosed by \$ signs.
- Author names will display the same as the source data for all authors, and limited to the number of “Max Authors” selected.
- Invalid citations (showing as red text in RMS) will not render into the PDF.
- Research Output numbering restarts for each category.

Part 7 - Permanently Delete Research Outputs

It is possible for a user to remove Research Outputs from their RMS account permanently. Users will find this particularly useful where an import process has included duplicates or inaccurate works. It may be easier to permanently delete the outputs, correct them at source (if possible) then re-import.

Using the search and select functions described in Part 6, the user can find and select one, many or all of their outputs to permanently delete from their profile, and then click the “Delete Permanently” button. Unlike the “soft-delete” option, outputs can be in any state (Available, Deleted, All) for the “Delete Permanently” option.

7.1 Permanently Delete Individual Research Outputs

- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs.
- Against the Research Output that you wish to delete permanently, select the ‘Delete Permanently’ button.

Category	Reference	Details	Source	Actions
Authored Book	xxxxxxxx, x, aaaaaaaaaaaaa, a & bbbb, b, 'xxx xxxxxx xxx xxxxxxxxxxxxxx xxx xxxxxxxxxxxxxx', Commonwealth Government, Canberra		RMS	<div> Edit </div> <div> Additional Details </div> <div> Delete </div> <div> Delete Permanently </div>

- A confirmation screen will open. Click the OK button to confirm that you wish to ‘permanently delete’ the research output.

Are you sure you wish to permanently delete this research output?

Note: Permanently deleted research outputs cannot be revived and are completely removed from RMS, including all additional details associated with the research output

Cancel
OK

- Clicking “OK” will completely remove the Research Output from the user’s profile.

7.2 Bulk ‘Permanently Delete’ Research Outputs


- Navigate to the RMS Login page: <https://rms.arc.gov.au>
- From the Person Profile section, select Research Outputs
- Tick the box next to the Research Outputs you wish to Delete, or use the ‘Select All’ or ‘Deselect All’ buttons.
- Once the user has selected output/s, the Bulk Delete button will be available.

Search
Category
Source
State

Select All
Deselect All
Bulk Delete
Bulk Revive
Bulk Delete Permanently
Showing 15 of 15 research outputs.

Category	Reference	Funding Details	Source	Actions
<input checked="" type="checkbox"/> Authored Book	xxxxxxxx, x, aaaaaaaaaaaaaa, a & bbb, b, 'xxx xxxxxx xxx xxxxxxxxxxxxxx xxx xxxxxxxxxxxxxx', Commonwealth Government, Canberra		RMS	Edit Additional Details Delete Delete Permanently
<input checked="" type="checkbox"/> Book Chapter	aaaaaaaaaaaaaaaa, a, 'xxxxxxxx xxxxxxxxxxx xxx xxxxxxxxxxx xxxxxxxxxxxxxx', xxxxxxxxxxxxxx xxx-xxxx xxxxxx xxxxxx xxxxxx: xxxxxx xxxxxx xxx xxxxxxxxxxx xxxxxx, dddddd (Accepted 15/10/2018)		RMS	Edit Additional Details Delete Delete Permanently
<input checked="" type="checkbox"/> Refereed Journal Article	aaaaaa, a & aaaaa, a, 'xxxxxxx, xxxxxxxxxxx xxxxxxxxxxx xxx xxxxxx xxxxxxxxxxx', xxxxxx xxxxxx xxxxx, vol. 15, no. 6, pp. 300-310		RMS	Edit Additional Details Delete Delete Permanently

- A confirmation screen will open. Click the OK button to confirm that you wish to ‘permanently delete’ the selected Research Outputs.



- Clicking “OK” will completely remove the outputs from the user’s profile.

Part 8 – Citation Handling and Rendering

8.1 Citation Handling in RMS

RMS collects Research Outputs from various sources (ORCID, BibTeX files, DOI providers and manually entered Research Outputs). Each of these sources can potentially include citations in various formats.

Note: RMS will not correctly render MathML mark-up in citations

The citation formats can be broken into three groups:

- (1) BibTeX;
- (2) RMS-compatible formats; and
- (3) Text based formats that RMS cannot understand.

BibTeX and RMS-compatible formats will render in a Harvard Citation format. Text based formats will be rendered "As is".

RMS allows entering of Custom citations via ORCID by choosing ‘Unspecified’ citation format and then entering a formatted citation in the citation field. RMS will render these “As is”

Note: Not all fields available in ORCID, BibTeX or DOI are included in the HARVARD format. For example, ISSN/ISBN are not included.

Below is a breakdown of these groupings:

Source: ORCID

BibTeX	BibTeX
RIS	RMS Compatible
APA	Text Based
Chicago	Text Based

Harvard	Text Based
IEEE	Text Based
Vancouver	Text Based
Unspecified	Text Based

Source: BibTeX import

BibTeX	BibTeX
--------	--------

Source: DOI Import

BibTeX	BibTeX
--------	--------

Source: Manual RMS

BibTeX with Text Title	BibTeX
------------------------	--------

BibTeX with LaTeX Title	BibTeX
-------------------------	--------

8.2 Rendering of BibTeX Citations

LaTeX is a typesetting mark-up language used to create formatted documents. Originally, BibTeX was created as a way to create bibliographies in LaTeX documents.

This means that BibTeX citations often include LaTeX mark-up for adding formatting or displaying formula or other symbols that normal ASCII characters cannot represent.

The generated Application PDF will correctly render LaTeX mark-up in most scenarios. The ARC strongly recommends using the “Preview citations PDF” option in “Manage Research Outputs” to verify that all Research Output citations will render correctly in the Application PDF before adding them to the ROPE question in the Application.

LaTeX mark-up will not render correctly in the generated Application PDF when the mark-up relies on a BibTeX preamble that defines new LaTeX commands.

RMS will not render LaTeX mark-up in the Research Output list and edit screens (include online Application forms) except for mathematical symbols that are enclosed within \$ characters.

RMS may not correctly render characters from some Non-English languages in the generated application PDF. The ARC recommends citations that can be expressed using the Times New Roman font or similar.

Some BibTeX citations may import into RMS but display as raw BibTeX in RMS list and edit screens. This can occur when the citation key in the BibTeX contains any of the following characters:

`',' '{', '}', '=', ''`.

In this case, RMS will not correctly parse the BibTeX citation and these Research Outputs will not be available for selection in the Application Form.

Attachment A: List of September 2019 enhancements for Research Outputs within the User profile and the application ROPE question.

The ARC appreciated the feedback received from the research sector on the Outputs function over the last 12 months and has implemented a number of enhancements.

User Profile – Manage Research Outputs

1. Invalid Research Outputs will now be included in the ORCID import, but will display in red text on the Manage Outputs screen so that applicants can easily identify them and correct the source data. They will not render into the PDF or populate into a research application until corrected. [Outputs User Guide: Section 1.2]
2. Ability to enter unspecified citations only for Additional Research output type directly into RMS (Date and Text). [Outputs User Guide: Section 4.1.1]
3. We have removed the “CI or equivalent” field from the “Additional Details screen in both Manage Outputs and the application ROPE Question. The ARC will only retain this data where it exists on submitted applications. However, it is no longer required for new applications. [Outputs User Guide: Section 5.1]
4. Ability to convert an existing ORCID record output to Orcid+: If a DOI exists for the output, a tab “Use DOI reference” will display below the output - the user can click on this tab and the output details will refresh from Crossref or Crosscite. [Outputs User Guide: Section 6.1.2]
5. PDF Preview of citations is now available within the Manage Research Outputs screen of the user profile by selecting outputs and clicking the PDF button (previously this was only available within the research application). The Maximum number of Authors to include in the PDF can also be set. [Outputs User Guide: Section 6.3]

Additions to imports and improvements to display/rendering

6. The Citation Article Number for Referred Journal Articles is now included in the import from ORCID, BibTeX or DOI, and the field is also available for manually entered outputs. The article number will display in the research proposal ROPE question and in the PDF.
7. The Book Edition is now included in the import from ORCID, BibTeX or DOI, and the field is also available for manually entered outputs. The Book Edition will display in the research proposal ROPE question and in the PDF.
8. Mathjax is removed: This means that maths symbols like any other scientific symbols will not render in the RMS screens at all. However, they are to be rendered in the PDF. [Outputs User Guide: Section 4.1]
9. The author name list will now display the same as the source data for all authors as entered by the user. This applies to both Manage Research Outputs and the ROPE question in the application.

We have updated the Outputs User Guide to reflect the above changes.

Changes to the Rope Question within applications

10. A live count of the number of outputs attached to the ROPE question – the count updates as the user adds or removes outputs.
11. Research Outputs generated in the proposal PDFs now include Output Type for the 10 best publications. (In brackets at the end of each output)

The Scheme instructions cover these changes in more detail.